



Sharp NEC Display Solutions

# Interactive | Collaboration Displays

**SHARP / NEC**

# Interactive Displays

## SHARP BIG PAD HWT Series | Essential

Model	Size inch/cm	Brightness in cd/m²	Touch Technology	Orientation	Connectivity
<b>PN-HW431T</b>	43 / 108	350	Infrared	L, P	3 HDMI, VGA
<b>PN-HW501T</b>	50 / 126	350	Infrared	L, P	3 HDMI, VGA



- Pen-on-Paper – natural writing experience using passive pen or finger
- Range of Sharp standard software included
- Integrated Mediaplayer



## NEC ME IR Series | Essential

MultiSync® Model	Size inch/cm	Brightness in cd/m²	Touch Technology	Orientation	Connectivity
<b>ME431 IR</b>	43 / 108	400	Infrared	L, P	2 HDMI, DP
<b>ME501 IR</b>	50 / 126	400	Infrared	L, P	2 HDMI, DP
<b>ME551 IR</b>	55 / 139	400	Infrared	L, P	2 HDMI, DP



- Precise touch technology with up to 20 touch points
- Modern and sleek design
- Scalable thanks to powerful Intel® Smart-Display-Module (Intel® SDM)



## NEC M PCAP Series |

MultiSync® Model	Size inch/cm	Brightness in cd/m²	Touch Technology	Orientation	Connectivity
<b>M431 PCAP</b>	43 / 108	500	PCAP	L, P, FU	2 HDMI, DP
<b>M491 PCAP</b>	49 / 124	500	PCAP	L, P, FU	2 HDMI, DP
<b>M551 PCAP</b>	55 / 139	500	PCAP	L, P, FU	2 HDMI, DP
<b>M651 PCAP</b>	65 / 164	500	PCAP	L, P, FU	2 HDMI, DP



- Easy to clean thanks to bezel-free design
- 24/7 ready operation for demanding usage scenarios
- Scalable thanks to powerful Intel® Smart-Display-Module (Intel® SDM)



## NEC M IGB Series | Professional

MultiSync® Model	Size inch/cm	Brightness in cd/m²	Touch Technology	Orientation	Connectivity
<b>M551 IGB</b>	55 / 139	500	InGlass™	L, P, FU	2 HDMI, DP
<b>M651 IGB</b>	65 / 164	500	InGlass™	L, P, FU	2 HDMI, DP



- Pen-on-Paper – natural writing experience using pen or finger
- Windows Ink support and “Palm Rejection”
- Scalable thanks to powerful Intel® Smart-Display-Module (Intel® SDM)



## NEC V IGB Series | Professional

MultiSync® Model	Size inch/cm	Brightness in cd/m²	Touch Technology	Orientation	Connectivity
<b>V754Q IGB</b>	75 / 189	500	InGlass™	L, P, FU	3 HDMI, 2x DP
<b>V864Q IGB</b>	86 / 217	500	InGlass™	L, P, FU	3 HDMI, 2x DP




**SpectraView™**  
engine



- Pen-on-Paper – natural writing experience using pen or finger
- Windows Ink support and “Palm Rejection”
- Scalable thanks to powerful Intel® Open Pluggable Standard (OPS)



## NEC Du-Co Series | Dual Collaboration Room System



- Combining two displays, an interactive and an identically designed non-interactive display
- Consisting of: Mxx1 IGB + Mxx1 IGB non touch
- Pen-on-Paper – natural writing experience on the InGlass™ touch display

# Collaboration Displays

## NEC CB Series | Essential

MultiSync® Model	Size inch/cm	Brightness in cd/m²	Touch Technology	Orientation	Connectivity
<b>CB651Q-2</b>	65 / 164	350	Infrared	L	3 HDMI, VGA
<b>CB751Q</b>	75 / 189	350	Infrared	L	3 HDMI, VGA
<b>CB861Q</b>	86 / 217	350	Infrared	L	3 HDMI, VGA



- System-on-Chip-PC (SoC) with whiteboard, overlay and wireless-function
- Simple operation with front access to USB ports
- Easy installation with included wall mount



## SHARP BIG PAD L2B Series | Midrange

Model	Size inch/cm	Brightness in cd/m²	Touch Technology	Orientation	Connectivity
<b>PN-L652B</b>	65 / 164	350	PrecisionTouch	L	3 HDMI, VGA, USB-C
<b>PN-L752B</b>	75 / 189	350	PrecisionTouch	L	3 HDMI, VGA, USB-C
<b>PN-L862B</b>	86 / 217	350	PrecisionTouch	L	3 HDMI, VGA, USB-C



- Pen-on-Paper – natural writing experience using pen or finger
- Android (SoC) with whiteboard, overlay and wireless-function
- Bring your own Meeting (BYOM) via USB-C port
- Optional AV soundbar to support hybrid meetings



Orientation: L=**Landscape**; P=**Portrait**; FU=**Face Up**

This document is provided “as is” without warranty of any kind whatsoever, either express or implied. Errors and omissions are excepted.

Sharp NEC Display Solutions Europe GmbH may make changes, revisions or improvements in, or discontinue the supply of any product described or referenced in this document at any time without notice.

## NEC WD-Series | Windows Collaboration Display

MultiSync® Model	Size inch/cm	Brightness in cd/m²	Touch Technology	Orientation	Connectivity
<b>WD551</b>	55 / 139	400	PCAP	L	HDMI, 2 USB-C



- Built-in camera, microphone and speaker for video meetings
- Bring your own Meeting (BYOM) for instant sharing of content via the USB cable
- Integrated IoT room sensors and automatic wake-up function



## SHARP BIG PAD CD Series | Windows Collaboration Display

Model	Size inch/cm	Brightness in cd/m²	Touch Technology	Orientation	Connectivity
<b>PN-CD701</b>	70 / 177	350	PCAP	L	HDMI, 2 USB-C



- Built-in camera, microphone and speaker for video meetings
- Bring your own Meeting (BYOM) for instant sharing of content via the USB cable
- Integrated IoT room sensors and automatic wake-up function



## NEC InfinityBoard® | Collaboration Solutions

MultiSync® Model	Size Zoll/cm	Brightness in cd/m²	Touch Technology	Orientation	Connectivity
<b>75" NEC InfinityBoard®</b>	75 / 191	500	InGlass™	L, P, FU	4x USB 3
<b>86" NEC InfinityBoard®</b>	86 / 217	500	InGlass™	L, P, FU	4x USB 3



- Create, communicate, collaborate
- Integrated Huddly IQ and high-end speakers for video meetings
- Pen-on-Paper – natural writing experience using pen or finger
- Available with Quicklaunch™ meeting room interface for one-click-join





## Free FlatFrog Board software with all NEC InGlass™ touch displays

Improve your productivity – download your free FlatFrog Board collaborative whiteboard software to increase efficiency during your meetings.

Free download of FlatFrog Board software: [www.flatfrog.com/nec](http://www.flatfrog.com/nec)

## AirServer® Embedded Screen Mirroring Solution

The ME and M series models combine professional-class display technology with intuitive screen sharing for meeting rooms and huddle spaces. With AirServer®, the LFDs become the universal receiving device for the user's content (from Mac or PC, iPhone, iPad, Android or Chromebook). AirServer® is a complete wireless presentation solution. No need for apps, cables or dongles to connect.

## Quicklaunch™ for better Meetings

The fastest and most secure way to launch any meeting regardless of conferencing provider. Quicklaunch™ provides an intuitive user experience for joining any meeting with one touch – supporting all digital platforms, including Zoom, Google Meet and Microsoft Teams. Quicklaunch user interface offers one-click to start meetings, share devices and launch apps.

Document Name:	Interactive   Collaboration Displays Pocket Guide
Document Revision:	Edition 2, 2022
Document Date:	9/22

For more information visit us at  
[www.sharpnecdisplays.eu](http://www.sharpnecdisplays.eu)