



Sharp NEC Display Solutions

Large Format Displays

SHARP / NEC

NEC E Series | Essential Displays

MultiSync® Model	Size inch/cm	Brightness in cd/m²	Haze Level*	Orientation**	Video Signals
E328	32 / 81	350	S	L	3 HDMI, VGA
E438 ¹	43 / 109	350	S	L	3 HDMI, VGA
E498 ¹	49 / 123	350	S	L	3 HDMI, VGA
E558 ¹	55 / 140	350	S	L	3 HDMI, VGA
E658 ¹	65 / 165	350	S	L	3 HDMI, VGA



- Slim design and integrated speakers
- Future-ready connectivity
- Standalone operation



SHARP PN-HW Series | Essential Displays

Model	Size inch/cm	Brightness in cd/m²	Haze Level*	Orientation**	Video Signals
PN-HW431	43 / 108	350	S	L, P	3 HDMI, VGA
PN-HW501	50 / 126	350	S	L, P	3 HDMI, VGA
PN-HW551	55 / 139	350	S	L, P	3 HDMI, VGA
PN-HW651	65 / 164	350	S	L, P	3 HDMI, VGA
PN-HW861	86 / 217	400	S	L, P	3 HDMI, VGA



- USB media player
- Integrated speakers 2x 10 W
- Integrated LAN or RS-232C interface



NEC ME Series | Midrange Displays

MultiSync® Model	Size inch/cm	Brightness in cd/m²	Haze Level*	Orientation**	Video Signals
ME431	43 / 108	400	S	L, P	2 HDMI, DP
ME501	50 / 126	400	S	L, P	2 HDMI, DP
ME551	55 / 139	400	S	L, P	2 HDMI, DP
ME651	65 / 164	400	S	L, P	2 HDMI, DP



- Driving content with RPi NEC MediaPlayer
- Improved connectivity and control
- Infrared touch models available for 43", 50" and 55"



NEC C Series | Midrange Displays

MultiSync® Model	Size inch/cm	Brightness in cd/m²	Haze Level*	Orientation**	Video Signals
C750Q	75 / 189	350	P	L, P	2 HDMI, DP: 1 In
C860Q	86 / 217	350	P	L, P	2 HDMI, DP: 1 In
C981Q	98 / 248	350	P	L, P	3 HDMI, DP: 2 In, 1 Out



- Integrated Media Player
- Low reflective panel
- ShadowSense™ touch model available for C981Q



SHARP PN-HY Series | Midrange Displays

Model	Size inch/cm	Brightness in cd/m²	Haze Level*	Orientation**	Video Signals
PN-HY431	43 / 107	500	P	L, P, FU, FD	3 HDMI, VGA
PN-HY501	50 / 125	500	P	L, P, FU, FD	3 HDMI, VGA
PN-HY551	55 / 138	500	P	L, P, FU, FD	3 HDMI, VGA



- USB media player
- Wide Colour Gammut for precise colours
- Integrated LAN or RS-232C interface




NEC M Series | Midrange Displays

MultiSync® Model	Size inch/cm	Brightness in cd/m²	Haze Level*	Orientation**	Video Signals
M321	32 / 80	450	P	L, P, FU	2 HDMI, DP
M431 ¹	43 / 108	500	P	L, P	2 HDMI, DP
M491 ¹	49 / 124	500	P	L, P	2 HDMI, DP
M551 ¹	55 / 139	500	P	L, P	2 HDMI, DP
M651 ¹	65 / 164	500	P	L, P	2 HDMI, DP



- Professional haze level for best visibility and no reflections
- Driving content with RPi4 or Intel® SDM
- PCAP™ touch models available



NEC V Series | Midrange Displays

MultiSync® Model	Size inch/cm	Brightness in cd/m²	Haze Level*	Orientation**	Video Signals
V754Q	75 / 189	500	P	L, P, FU	3 HDMI, DP: 2 In, 1 Out
V864Q	86 / 217	500	P	L, P, FU	3 HDMI, DP: 2 In, 1 Out
V984Q	98 / 248	500	P	L, P, FU	3 HDMI, DP: 2 In, 1 Out



- OMi for scalable computing power
- Reliable colour reproduction
- InGlass™ touch models available for 75" and 86"



NEC MA Series | Advanced Displays

MultiSync® Model	Size inch/cm	Brightness in cd/m²	Haze Level*	Orientation**	Video Signals
MA431	43 / 108	500	P	L, P, FU	HDMI: 2 In, 1 Out, DP: 2 In, 1 Out
MA491	49 / 124	500	P	L, P, FU	
MA551	55 / 139	500	P	L, P, FU	



- Advanced connectivity
- WCG panel and SpectraView® engine for superb colour accuracy
- Driving content with RPi4 or Intel® SDM



SHARP PN-HS Series | Professional Displays

Model	Size inch/cm	Brightness in cd/m²	Haze Level*	Orientation**	Video Signals
PN-HS431	43 / 107	700	P	L, P, FU, FD	3 HDMI, VGA
PN-HS501	50 / 125	700	P	L, P, FU, FD	3 HDMI, VGA
PN-HS551	55 / 138	700	P	L, P, FU, FD	3 HDMI, VGA



- USB media player
- Professional haze level for best visibility and no reflection
- Extended colour space



NEC P Series | Professional Displays

MultiSync® Model	Size inch/cm	Brightness in cd/m²	Haze Level*	Orientation**	Video Signals
P435	43 / 108	700	P	L, P, FU, FD	HDMI: 2 In, 1 Out, DP: 2 In, 1 Out
P495	49 / 125	700	P	L, P, FU, FD	
P555	55 / 139	700	P	L, P, FU, FD	
P754Q	75 / 189	650	P	L, P, FU	

24/7

4K UHD



SpectraView™ engine

- OMi for scalable computing power
- Superb readability in bright light environments
- Long-term operation in demanding environments



NEC UN Series | Video Wall Displays

MultiSync® Model	Size inch/cm	Brightness in cd/m²	Haze Level*	Orientation**	Video Signals
UN552	55 / 140	700	P	L, P	HDMI In/Out, DP In/Out, DVI-D, VGA
UN552V	55 / 140	500	P	L, P	
UN552S	55 / 140	700	P	L, P	
UN552VS	55 / 140	500	P	L, P	

24/7

1080P
FULLHD IMAGE



SpectraView™ engine

- Enhanced imaging performance
- Easy set-up with Auto TileMatrix
- Long lasting picture quality thanks to intelligent calibration



NEC BT Series | Stretched Display

MultiSync® Model	Size inch/cm	Brightness in cd/m²	Haze Level*	Orientation**	Video Signals
BT421	42 / 107	700	P	L, P	DVI: 2 In, 1 Out, LAN

24/7



- Space efficient display with ultra-wide screen ratio of 16:4

* Haze Level (Anti-Reflection): S=Standard (<5 %); A=Advanced (5 % - 25 %); P=Pro (>25 %)

** Orientation: L=Landscape; P=Portrait; FU=Face Up; FD=Face Down

SHARP 8M Series | 8K Professional Display

Model	Size inch/cm	Brightness in cd/m ²	Haze Level*	Orientation**	Video Signals
8M-B120C	120 / 305	600	S	L	5 HDMI



- Native 8K resolution for highest level of detail
- Intense Brightness of up to 1000 cd/m²
- 8K content via a single 8K HDMI cable



NaViSet Administrator 2



Unified remote management software for NEC desktop monitors, large format displays and projectors.

SpectraView® Engine



Advanced settings of all relevant visual parameters allow full control of brightness, colour, gamma and uniformity via the SpectraView® Engine for precise, natural images.

Open Modular Intelligence (OMi)

Future ready expansion to upgrade the power of your display at any time by seamlessly integrating one of Sharp/NEC's options for Intel® SDM modules, OPS Slot-in PCs, Raspberry Pi compute module or signal interfaces for content feed and computing.

Protective Glass

Guaranteed reliability even under the toughest conditions is achieved with robust protective glass designed to withstanding external impacts. Available for NEC MultiSync® M / MA / P Series.

Document Name: Large Format Displays Pocket Guide
Document Revision: Edition 10, 2022
Document Date: 8/22

For more information visit us at
www.sharpnecdisplays.eu